

SEEDERS

MAXIMIZE PLANTING EFFICIENCY AND PRODUCTIVITY WITH WOODS' SEEDERS.

WHAT CAN THE WOODS FOOD PLOT SEEDER AND PRECISION SUPER SEEDER PLANT?
HERE IS A PARTIAL LIST ...

COOL SEASON GRASS AND CEREAL GRAINS (LARGE SEEDS)

Annual Ryegrass
Barley
Buckwheat
Buffalo Grass
Chufa
Corn (small rounds)
Fescue
Kentucky Bluegrass Blends
Kidney Beans
Lablab
Lima Beans
Oats
Orchardgrass
Peas
Perennial Ryegrass
Snow Peas
Sorghum
Soybeans
Sudan
Sugar Beets
Sunflower
Triticale
Wheat

LEGUME BOX (SMALL SEEDS)

Alfalfa
Bahai
Bermuda
Birdsfoot Trefoil
Black-eyed Susan
Brassica
Brown Top Millet
Carpet Grass
Centipede
Chicory
Clover
Fescue
Forbes
Green SprangletopKale
Kentucky Bluegrass
Kleingrass
Plains Bristlegrass
Radish
Rape
Side Oats Grama
Sudan
Sugar Beets
Switchgrass
Timothy
Turnip
Zoysia

NATIVE WARM SEASON GRASS BOX (FLUFFY, LIGHT-WEIGHT SEEDS)*

Big Bluestem
Brome
Canadian Wild Rye
Indian Grass
Little Bluestem
Sideoats Grama



* Precision Super Seeder only



FPS 72

SEEDERS

Woods' seeders give you the flexibility to handle primary seeding, over-seeding, and can even plant up to three types of seed in one pass. You choose the combination of seed boxes that fits your application. That means efficient, one-pass planting that maximizes efficiency and productivity.

Food Plot Seeders



TRACTOR PTO HP RANGE: 25 - 65 HP

FPS48 | 49-inch **FPS60** | 60-inch

- Three-point hitch: CAT 1 & 2
- Working widths from 48–60 inches
- Eight notched disc blades cut into the dirt

TRACTOR PTO HP RANGE: 35 - 125 HP

FPS72 | 72-inch **FPS84** | 84-inch

- Three-point hitch: CAT 1 & 2 (72-inch), CAT 2 (84-inch)
- Working widths from 72–84 inches
- Ten notched (FPS72) disc blades prepare the seedbed
- Twelve notched (FPS72) disc blades prepare the seedbed

FPS72

Shown with optional mud scrapers

| MODEL | FPS48 | FPS60 | FPS72 | FPS84 |
|---|--|-------------|------------------|------------------|
| Tractor Engine HP Range | 25-45 hp | 30-65 hp | 35-85 hp | 40-125 hp |
| Tractor Hitch | CAT 1 & 2 | | | CAT 2 |
| Working Width | 49" | 60" | 72" | 84" |
| Weight (Standard Configuration*) | 821 lbs | 899 lbs | 1,196 lbs | 1,320 lbs |
| Weight (Fully Configured**) | 1,084 lbs | 1,222 lbs | 1,578 lbs | 1,762 lbs |
| Drive Type | ground | | | |
| Number of Seed Boxes Available | 3 | | | |
| Seed Box Ratio | 1-speed | | | |
| Seed Cups (7" spacing) | 7 | 8 | 10 | 12 |
| Row Units | standard | | | |
| Cool Season Seed Box Capacity | 4.00 bushel | 5.00 bushel | 6.00 bushel | 7.00 bushel |
| Legume Seed Box Capacity | 1.00 bushel | 1.25 bushel | 1.50 bushel | 1.75 bushel |
| Disc Blades | (8) 16" notched | | (10) 18" notched | (12) 18" notched |
| Cast Iron or Nylon Trailing Cultipacker | optional (9.5" diameter cast iron or 11" diameter nylon) | | | |
| Calibration Tray & Crank Handle | standard | | | |
| Mud Scrapers & Frame Platform | optional | | | |
| ASABE Quick-Hitch Compatible | yes | | | |

Plant up to three types of seed in one pass. Ideal for hunters and small acreage farmers seeding legumes and larger seeds.

- Three seed box choices — one cool season and two legume — can plant a variety of seeds like alfalfa, clover, corn, sorghum, soybeans, turnips and wheat
- A trailing cultipacker firms the seedbed for perfect seed-to-soil contact that's ready to trap moisture for germination
- Plant cool season seeds, in rows, at a deeper depth while evenly broadcasting up to two types of legume seeds at a shallow depth — all in one pass

* Includes spiked drive roller, disc blades, cool season seed box, and row units.

** Includes cultipacker drive roller, notched disc blades, cool season seed box, row units, 1st and 2nd legume seed boxes, and nylon trailing cultipacker.

Precision Super Seeders



PSS84

TRACTOR PTO HP RANGE: 25 - 45 HP

PSS48 | 49-inch **PSS60** | 60-inch

- Three-point hitch: CAT 1 & 2
- Working widths from 48–60 inches
- Heat treated front roller spikes prepare the soil for planting

TRACTOR PTO HP RANGE: 30 - 85 HP

PSS72 | 72-inch **PSS84** | 84-inch

- Three-point hitch: CAT 1 & 2 (72-inch), CAT 2 (84-inch)
- Working widths from 72–84 inches
- Heat treated front roller spikes are adjustable for primary over-seeding

The Precision Super Seeder gives you the flexibility to handle primary seeding, over-seeding and applications such as native grasses and food plots. It's the most versatile seed box combination on the market.

- Three seed box options — cool season, warm season and legume — let you plant anything from rye and oats to prairie grasses, wild flowers, radishes and soybeans
- Efficient, one-pass planting of up to two seed types at one depth and legume seeds at a different depth — with models equipped with three seed boxes
- All seed boxes can be engaged and disengaged independently with a single lynch pin — no tools required

| MODEL | PSS48 | PSS60 | PSS72 | PSS84 |
|--|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Tractor Engine HP Range | 25-45 hp | 30-65 hp | 35-85 hp | 40-125 hp |
| Tractor Hitch | CAT 1 & 2 | | | CAT 2 |
| Working Width | 49" | 60" | 72" | 84" |
| Weight (Standard Configuration*) | 949 lbs | 1,065 lbs | 1,178 lbs | 1,346 lbs |
| Weight (Hunting Edition Configuration**) | 1,172 lbs | 1,351 lbs | 1,555 lbs | 1,727 lbs |
| Drive Type | ground | | | |
| Number of Seed Boxes Available | 3 | | | |
| Seed Metering | fluted and picker wheel | | | |
| Seed Cups | 7 | 8 | 10 | 12 |
| Cool Season Seed Box Capacity | 4.00 bushel | 5.00 bushel | 6.00 bushel | 7.00 bushel |
| Native Warm Season Seed Box Capacity | 5.00 bushel | 6.25 bushel | 7.50 bushel | 8.75 bushel |
| Legume Seed Box Capacity | 1.00 bushel | 1.25 bushel | 1.50 bushel | 1.75 bushel |
| Front Roller Spikes | (128) .5" x 1.75" carbide steel | (160) .5" x 1.75" carbide steel | (192) .5" x 1.75" carbide steel | (224) .5" x 1.75" carbide steel |
| ASABE Quick-Hitch Compatible | yes | | | |

* Standard configuration consists of frame with spiked, ground drive roller, adjustable front spiked rollers and cool season seed box.

** Hunting Edition configuration consists of frame with spiked, ground drive roller, adjustable front disc blades, cool season seed box, legume seed box and cast iron cultipacker.

Compact Super Seeders

The Woods Compact Super Seeder is everything you need in one compact cultivation and planting package. In one pass you can prepare the seed bed, precisely drop seeds at two different depths, then firm the bed for improved germination.

TRACTORS

CSS48: 15 HP - 35 HP

CSS60: 20 HP - 45 HP

ATVS AND UTVS (4WH)

CSS48: minimum 350cc

CSS60: minimum 400cc



CHOOSE THE FEATURES THAT FIT YOUR PROJECT

Every model starts with a spiked drive roller and a cool season seed box.

Then, choose the front tool that will prepare your seed bed.



ADD ONE, OR ALL, OF THESE OPTIONS TO IMPROVE YOUR PRODUCTIVITY AND VERSATILITY:



Spiked roller with adjustable angles that will penetrate thatch and aerate lawns. Or, angle it to break up the surface and remove stands of turf.



Adjustable disc blades that will cut into and work the soil. Easily adjust the blade angles to till more aggressively depending upon soil conditions.

3. Add a legume seed box and now you can plant two seeds at different depths in one pass.

4. A rear cultipacker that increases seed-to-soil contact, firms the seed bed, and creates furrows to trap and channel water which improves germination rates.

5. Mud scrapers which help keep blades free from dirt clods, mud and clay.

6. An electric tow kit for ATVs and UTVs and hydraulic tow kit for tractors that make it easy to transport.

PLUS, A FAST/SLOW CHAIN DRIVE, ROAD LIGHTS, SEED STOP PLATES – THE OPTIONS OFFER YOU NEARLY ENDLESS WAYS TO CUSTOMIZE YOUR WOODS COMPACT SUPER SEEDER.

Compact Super Seeders



NEW
2020

TRACTOR HP RANGE: 15 - 35 HP

CSS48 | 48-inch

- Three-point hitch: CAT 1 / Limited CAT 1
- Working width 48 inches
- ATV/UTV minimum 350cc

TRACTOR HP RANGE: 20 - 45 HP

CSS60 | 60-inch

- Three-point hitch: CAT 1 / Limited CAT 1
- Working width 60 inches
- ATV/UTV minimum 400cc



| MODEL | CSS48 | CSS60 |
|--|--|---|
| Tractor Engine HP | 15-35 hp | 20-45 hp |
| Tractor Hitch | CAT 1/Limited CAT 1 | |
| ATV/UTV Engine Size | minimum 350cc | minimum 400cc |
| Working Width (inches) | 48 | 60 |
| Overall Width | 57 | 69 |
| Weight with Seed, Depending upon Configuration (lbs) | 395-679 | 487-810 |
| Drive Type | ground-driven spiked roller | |
| Number of Seed Boxes Available | 1 or 2 | |
| Seed Metering | 6 seed cups | 8 seed cups |
| Seed Box Ratio | 5.1:1 or 14.4:1 | 5.1:1 or 14.4:1 |
| Cool Season Seed Box with Agitator | standard | |
| Cool Season Seed Box Capacity (bushel) | 1 | 1.25 |
| Legume Seed Box | optional | |
| Legume Seed Box Capacity (bushel) | 1 | 1.25 |
| Front Tool Choices | 6 - 16" notched disc blade or spiked roller | 8 - 16" notched disc blade or spiked roller |
| Calibration Tray | standard | |
| Crank Handle | standard | |
| Spring-loaded Trailing Cultipacker | optional | |
| Speed Ranges | turf seed range 0-700 lbs/acre (cool season); food plot range 0-30 lbs/acre (legume) | |
| Options | fast/slow chain drive, Quick Hitch bushings, mud scrapers, seed stop plates, highway lights, tow kit | |
| ASABE Quick Hitch | add hitch pin bushings to make CAT 1 quick-hitch compatible | |

Compact Super Seeders

GOOD THINGS... PRECISION METERING, MANEUVERABILITY, VERSATILITY, PRODUCTIVITY, DURABILITY... COME IN COMPACT PACKAGES FROM WOODS.

Ideal for small-scale planting, such as food plots, lawns, gardens, wildflower meadows, waterways and roadways. Widths 48 or 60 inches and lighter weight so you can maneuver into formerly unreachable areas.

ADDITIONAL FEATURES STANDARD ON BOTH MODELS

- The calibration system includes seed charts, a calibration tray and crank for accurate seed rates. *WOODS Exclusive*
- Windowed seed cups and clear PVC tubes allow you to easily monitor the flow of seeds.
- A quick and easy disconnect – pull a pin and one or both seed boxes stop to make it a tilling tool for preparing the ground. Till your seed bed, then replace the pin and engage the seeding function for a final pass. *WOODS Exclusive*

PRECISION METERING – Precisely measure out seeds, reducing waste, plus enjoy the durability of metal (not plastic) meters.



MANEUVERABILITY – Easily weave into narrow spaces and make tight turns to plant areas that may not be accessible with a larger tractor and planter.

Compact Super Seeders



VERSATILITY – Handle a wide range of seeds from Black-eyed Susans to corn. See our planting guide.



PRODUCTIVITY – Simultaneously plant two seed types at two different depths in one pass.

DURABILITY – Expect years of work from a rugged, Grade 80 steel body.

GETTING THE JOB DONE

You can take on almost any project around the farm with your Massey Ferguson tractor and the right set of Woods implements. That perfect set of implements turns your tractor into a productivity powerhouse — ensuring you get the job done fast and get it done right.

When you chose your tractor, you probably looked at the type of work you needed to get done and chose a machine with the tractor horsepower to suit the size of your farm. In matching that tractor to implements, you simply need to know your tractor's engine and PTO horsepower and wheel width. In the specification charts throughout this catalog, the horsepower requirements and widths are listed for each implement. This way, you can make sure you have enough power to operate the implement and that it is wide enough to cover your wheel tracks. If you have questions, just ask your Massey Ferguson dealer.

But how do you pick the right set of implements with so many to choose from?

Let us help! Our product development team has hand selected the top five attachments that every acreage owner needs to get started.



ROTARY CUTTER

With large areas of brush and overgrown grass, a rotary cutter is a must-have. Cutters are available in many widths and duty-classes to suit your tractor and use. Rotary cutters are not able to adjust to changes in topography — meaning too low of a cut and you're scraping the soil — so, not suited for finish mowing.



BW15.50



FINISH MOWER

Many rural homesteads benefit from sweeping lawns and old pastures that have been transformed to park-like settings. If you enjoy this type of landscape, a rear-mounted finish mower is the perfect choice to manage ongoing maintenance. Finish mowers are available in a variety of widths to cover your wheel tracks and to cover as much ground as possible to get the job done quickly and efficiently.



RDC54



ROTARY TILLER

Whether you need to control weeds in your garden, get a field ready for planting, or prepare ground for a food plot, a rotary tiller makes fast work of dirt work. Matching the tiller to your tractor horsepower is key: As a general rule, every foot of width on a tiller requires at least eight horsepower from your tractor.



REAR BLADE

A rear blade is great for grading a driveway, cleaning up debris, or removing snow. Choose a blade that's the same width as your tractor tires or slightly larger. Price dictates features. For example, more expensive blades have both vertical and horizontal axis rotation, allowing you to tip and tilt the blade to one side or the other. More economical blades allow minimal adjustments, if any.



POST HOLE DIGGER

Faced with jobs such as fencing property, planting trees, or building a deck, post hole diggers make your work a lot easier. The auger is often sold separately, offering a choice of sizes for various projects. Diggers work well in most soil conditions. However, for extremely hard soil, go with a heavy-duty digger.

RT60.40



RT72.50



QUICK-HITCH

And don't forget a Quick-Hitch System. The Quick-Hitch allows you to easily connect and switch out implements. A Quick-Hitch connects to your tractor's three-point hitch so that all you have to do is back up to the implement, lift up and you're ready to go to work. If you are using a PTO-driven implement such as a rotary cutter or tiller, you will need to manually attach the drive shaft.

